

IMPROVEMENTS IN AND RELATING TO HAIR CLIPS

Patent number: WO9512331
Publication date: 1995-05-11
Inventor: PROTO PASQUALE (GB)
Applicant: PROTO PASQUALE (GB)
Classification:
- international: A45D19/00
- european: A45D19/00B4
Application number: WO1994GB02388 19941031
Priority number(s): GB19930022590 19931102

Also published as:

EP0729310 (A1)
BR9407945 (A)
EP0729310 (B1)


Cited documents:

US3692032
US3800811
US5156172

Report a data error here

Abstract of WO9512331

A clip for use when colouring discrete hair strands comprises two elongate gripper members (1, 2) joined by a hinge (3) and including at their free ends means (5) for selectively connecting one gripper member to the other, and a strip of flexible impervious material (9) carried by each gripper member. The gripper members are preferably produced from a plastics material, the hinge comprising a resilient plastics strip joining one gripper member to the other.



Data supplied from the esp@cenet database - Worldwide

7502


Device for treating hair

Patent number: GB2242357
Publication date: 1991-10-02
Inventor: NEWMAN FREDERICA CATHARINA
Applicant: NEWMAN FREDERICA CATHARINA
Classification:
- **international:** A45D19/00; A61K7/13
- **european:** A45D19/00B; A61K7/06Z
Application number: GB19910006121 19910322
Priority number(s): GB19900006401 19900322

[Report a data error here](#)

Abstract of GB2242357

A device for use in hair treatment (e.g. highlighting) comprises a clip which may be conveniently manufactured in plastic and comprises two flat plates (1 and 2) of rectangular shape being joined by an integral hinge (3), for example of flexible plastic. The plates may be closed together by flexure about the hinge (3) and fastened in the closed position by means of a latch (4). The inner faces of each plate have an applied strip of a retentive or absorbent resilient material such as rubber or plastic foam or plastic wool (5). These absorbent strips may be secured for example by projecting spikes (6) which penetrate the strip, or may be permanently or releasably bonded to the surfaces of the plates. Tinting cream may be applied to one or both of the absorbent strips and selected tufts of hair are each held in a cream coated clip; the clips are easily placed and fastened using one hand only, allowing the other hand to keep a secure grip on the tuft of hair.



Data supplied from the **esp@cenet** database - Worldwide


Improvements in or relating to toilet combs and the like and devices for attachment thereto

Patent number: GB590971
Publication date: 1947-08-01
Inventor:
Applicant: CHARLES ROBERT FINCH NOYES
Classification:
- international:
- european: A45D24/30
Application number: GB19450010522 19450426
Priority number(s):

[Report a data error here](#)

Abstract of GB590971

590,971. Combs. NOYES, C. R. FINCH-. April 26, 1945, No. 10522. [Class 131] A ..device for holding a pad of absorbent material 3 in contact with each side, and intermediate the tips and roots of, the teeth of the comb 1, comprises an elongated spring clip 2 with perforations 4 whereby the absorbent material may be impregnated with hair dressing. The device may be impregnated with hair dressing or may be formed of two parts hinged longitudinally and provided with a locking device. The pad holding device or the comb handle may include a container for the hair dressing.



Data supplied from the [esp@cenet](#) database - Worldwide

Combination clip and shield for hair-waving devices

Patent number: US1524867
Publication date: 1925-02-03
Inventor: KAVLE OSCAR C
Applicant: FREDERICS INC E
Classification:
- International:
- european: A45D6/08
Application number: US19240710319 19240501
Priority number(s): US19240710319 19240501

Report a data error here

Abstract not available for US1524867

Data supplied from the **esp@cenet** database - Worldwide

Hair clip with shield structure

Patent number:	TW386386Y
Publication date:	2000-04-01
Inventor:	CHEN JIN-JIN (TW)
Applicant:	CHEN JIN JIN (TW)
Classification:	
- international:	A45D8/14
- european:	
Application number:	TW19960221508U 19961129
Priority number(s):	TW19960221508U 19961129

[Report a data error here](#)

Abstract not available for TW386386Y

Data supplied from the **esp@cenet** database - Worldwide


Device and method for cosmetically treating hair

Patent number: US5156172
Publication date: 1992-10-20
Inventor: TANCREDI ANDREW J (US)
Applicant: STRAUBINGER PAUL (US);; FELDMAN DAVID P (US)
Classification:
- international: A45D19/18
- european: A45D19/00B4
Application number: US19910800233 19911129
Priority number(s): US19910800233 19911129

[Report a data error here](#)

Abstract of US5156172

A fastener of a hair-treating device is first slid into position adjacent a human scalp and, thereupon, is affirmatively locked on a bundle of hair in a non-slip manner. A shield attached to the fastener is opened to receive a different bundle of hair for application of a treating agent, and thereupon closed to prevent the treating agent from seeping to the balance of hair on the scalp. An independently operated bleed-guard further resists treating agent seepage.



Data supplied from the esp@cenet database - Worldwide


Clamp devices for use in selectively altering hair color

Patent number: US4108184
Publication date: 1978-08-22
Inventor: MORGANROTH SHILA
Applicant: MORGANROTH SHILA
Classification:
- **international:** A45D8/00
- **european:** A45D8/24; A45D19/00B; A45D19/00B2; B65D47/26D2; B65D47/26D4; B65D81/32C; B65D81/32L
Application number: US19760738910 19761104
Priority number(s): US19760738910 19761104; US19740481695 19740621; US19750592764 19750702

Report a data error here

Abstract of US4108184

Clamp devices for use in selectively altering hair color-color, especially advantageous for use with off-the-scalp type bleach materials, comprising two bars hinged at one end to each other with a latch at the other end for removably holding them in the closed position with one face of one bar tightly against the opposed face of the other bar. The adjacent faces of each are aligned so that they may be placed close to the scalp with tresses of hair between the opposed faces, one of which may have spaced recesses for the tresses. A shield, e.g., a sheet of plastic, preferably is secured along one edge to one of the bars which extends away from said aligned edges far enough to underlie the tresses held in the clamp and protect the underlying bar from hair color altering liquids applied to the clamped tresses. For maintenance treatments where hair color altering materials should be applied to new growth only, a second clamp may be provided to be applied to the clamped tresses at the end of the new growth and it may have any desired structure, e.g., a hollow bar with an elastic band secured at one end to one end of the hollow bar and the other end removably securable to the other end of the hollow bar.



Data supplied from the **esp@cenet** database - Worldwide


Permanent waving of hair

Patent number: GB2276818
Publication date: 1994-10-12
Inventor: FRANKLIN KEITH; HEIGL INGRID SOPHIA
Applicant: FRANKLIN KEITH (GB); HEIGL INGRID SOPHIA (GB)
Classification:
- **international:** A45D6/18; A45D2/02; A45D2/24
- **european:** A45D6/18; A45D7/04
Application number: GB19930007116 19930406
Priority number(s): GB19930007116 19930406

[Report a data error here](#)

Abstract of GB2276818

To enable the roots of a head of a head of hair to be frequently permed, and at the same time fully protect and existing perm by insulating the already permed portion a plastic type clip (shield). 9 is provided having a cylindrical body and two skirt portions 10, 11, which are more deflectable than the body portion (eg. they are thinner or of different material). The clip fits an existing perm roller and covers the already permed hair wound on it.



Data supplied from the **esp@cenet** database - Worldwide